







## EvoKit Fire FD 30



Available for the UK market only

**Exova**  
WarringtonfireFully tested and approved to:  
Testé et approuvé de part de:  
BS EN 1634-1:2009 by Warrington  
Fully tested and approved to:  
Testé et approuvé de part de:  
UNI EN 13501-2:2016**ATTENTION:**  
System designed to set up  
EI30 Door (not included)  
Châssis conçu pour portes  
EI30 (non fournies)

\* 102 for finished wall 100 / 102 pour mur fini de 100

\* \* THE DOOR CAN ENTER COMPLETELY INSIDE THE POCKET / LE PANNEAU PÉNÈTRE COMPLÈTEMENT DANS LA CAVITÉ MURALE  
For safety reasons we recommend you to keep the handleout of the pocket. / Pour des raisons de sécurité, maintenez la porte accessible jusqu'à la poignée.

PASSAGE SIZE OUVERTURE DE PASSAGE	
575	
675	
775	2020
875	
975	

DOOR SIZE PORTE	
626	
726	
826	2040
926	
1026	

B	C	HT
600	1310	
700	1510	
800	1710	2122
900	1910	
1000	2110	

**KIT CONTENTS**

- Hardwood doorjamb 100 mm finished wall thickness
- Self-centering floor guide with anti-warp profile
- Self-closing mechanism
- Intumescent strips 10x2 mm (4,5 m x 1 kit) and 20x2 mm (7 m x 1 kit)

**NOT INCLUDED**

- For use FD30 rated fire door

**ADVANTAGES / AVANTAGES**

- Save stock area in warehouse
- Espace de stockage réduit dans l'entrepôt
- Easy and quick set up
- Montage facile et rapide
- Extractible rail
- Rail extractible
- Strong vertical and horizontal profiles
- Profils verticaux et horizontaux renforcés

**FEASIBLE DIMENSIONS  
MESURES RÉALISABLES****WIDTH / LARGEUR**

L from/de 600 to/à 1000 mm

**HEIGHT / HAUTEUR**

Wall /Mur 100: H from/de 1000 to/à 2100 mm

**FORMULAS TO CALCULATE DIMENSION  
CALCUL DE L'ENCOMBREMENT****WIDTH / LARGEUR**

L x 2 + 110 mm

**HEIGHT / HAUTEUR**

H + 90 mm

FINISHED WALL MUR FINI	INTERNAL CAVITY ÉPAISSEUR CAISSON	STUDWORK OSSATURE	DOOR PANEL PANNEAU DE PORTE
---------------------------	---	----------------------	-----------------------------------

**PLASTERBOARD / PLAQUES DE PLÂTRE**

100	54	75	44-45
-----	----	----	-------

**ATTENTION** Do not install doors with different thickness from the one expressed in the table  
**ATTENTION** Ne pas installer des portes d'épaisseur différente de celle indiquée dans le tableau

# Server Room

