

Absolute Swing

HINGED / BATTANT

FRAME / CHÂSSIS

PUSH / POUSSANT

PLASTER / ENDUIT

Cod. TSWSI



Feasible Dimensions

Length **L** from 600 mm to 1000 mm (wall 107/125)
 Height **H** from 1500 mm to 2700 mm (wall 107/125)

Overall Dimensions Formula

Length **C** = **L** + 120 mm
 Height **HT** = **H** + 60 mm

Opening direction and opening angle



- Frame / Châssis
- Door / Porte
- Plaster / Enduit

Sound insulation
Rw= 23 dB
 (Without acoustic threshold)

Sound insulation
Rw= 28 dB
 (With acoustic threshold up to 900 × 2100 mm, push opening)

PASSAGE SIZE (mm)

Length L	Height H		
	2000	2100	2400
600	2000	2100	2400
700	2000	2100	2400
800	2000	2100	2400
900	2000	2100	2400
1000	2000	2100	2400

OVERALL SIZE (mm)

Length C	Height HT		
	2060	2160	2460
720	2060	2160	2460
820	2060	2160	2460
920	2060	2160	2460
1020	2060	2160	2460
1120	2060	2160	2460

FRAME + DOOR
 Pag. 30

ONLY DOOR
 Pag. 174



Are you looking for other versions?

Absolute Swing

HINGED / BATTANT **FRAME / CHÂSSIS** **PULL / TIRANT** **PLASTER / ENDUIT**

Cod. TSWSI



Feasible Dimensions

Length **L** from 600 mm to 1000 mm (wall 107/125)
 Height **H** from 1500 mm to 2700 mm (wall 107/125)

Overall Dimensions Formula

Length **C** = **L** + 120 mm
 Height **HT** = **H** + 60 mm

Opening direction and opening angle



- Frame / Châssis
- Door / Porte
- Plaster / Enduit

PASSAGE SIZE (mm)

Length L	Height H		
600	2000	2100	2400
700	2000	2100	2400
800	2000	2100	2400
900	2000	2100	2400
1000	2000	2100	2400

OVERALL SIZE (mm)

Length C	Height HT		
720	2060	2160	2460
820	2060	2160	2460
920	2060	2160	2460
1020	2060	2160	2460
1120	2060	2160	2460

FRAME + DOOR
Pag. 30

ONLY DOOR
Pag. 174



Are you looking for other versions?